

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20120326-R21965  
**Report Reference** R21965-2012 March 26  
**Issue Date** 2012 March 26

**Issued to:** Premier Products Inc.  
2840 Hwy 165 N  
Monroe, LA 71203


**This is to certify that representative samples of** Door, Swing, Exterior

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** ANSI A250.13 - 2003  
ASTM E330 - 02  
ASTM E1886 - 02  
ASTM E1996 - 02

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Classification Mark should be considered as being covered by UL's Classification and Follow-Up Service.

The UL Classification Mark includes: UL in a circle; with the word "CLASSIFIED"  (as shown); a control number (may be alphanumeric) assigned by UL; a statement to indicate the extent of UL's evaluation of the product; and the product category name (product identity) as indicated in the appropriate UL Directory.

Look for the UL Classification Mark on the product.

Single Swing up to 4 ft. x 8 ft. or Pair of doors up to 6 ft. x 7 ft. maximum design load 85 PSF.

See Classification Card for Latch Strength and Approved Installations. Also tested to TAS 201, 202, 203.

William R. Carney, Director, North American Certification Programs  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)

